



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/580,501

05/23/2006

Petrus Christianus Maas

NL 031427

2333

24737

7590

06/08/2009

PHILIPS INTELLECTUAL PROPERTY & STANDARDS

P.O. BOX 3001

BRIARCLIFF MANOR, NY 10510

EXAMINER

DISTEFANO, GREGORY A

ART UNIT

PAPER NUMBER

2175

MAIL DATE

DELIVERY MODE

06/08/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/580,501	Applicant(s) MAAS, PETRUS CHRISTIANUS	
	Examiner GREGORY A. DISTEFANO	Art Unit 2175	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 March 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 May 2006 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is in response to applicant's amendment filed 3/24/2009.
2. As per applicant's amendment, claims 1-20 are currently pending.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claim 16 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 16 recites the limitation "the imaginary z-axis is defined rotated relative to the x-axis and the y-axis" which lacks support in applicant's original disclosure. The closest support may be found in applicant's specification on page 3, lines 9-10, where they state "the imaginary z-axis is being realized in a line extending between the x-axis and the y-axis. However, there is no mention of the z-axis being rotated relative to the x-axis and y-axis.

5. Claims 19 and 20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to

Art Unit: 2175

one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claims 19 and 20 recite the limitation " the first, second, and third directions are coplanar" which lacks support in applicant's original disclosure. Applicant's specification teaches away from this limitation. As may be seen in applicant's Fig. 5, each of the "three directions" extends in different dimension. Therefore it is impossible for every direction to be coplanar to each other. As was well known in the field of mathematics, coplanar is defined as existing in a common plane. As may be seen in applicant's figure 5, only two of the three axes may be defined as "coplanar". While applicant refers to "the third range of directions being disposed diagonally **relative** to the first and second ranges of directions" this use of a "diagonal" is seen as simply representing the z-axis as a third dimension drawn on a two dimensional surface. Therefore, while the z-axis is drawn relative to the x-axis and y-axis, the z-axis in fact is a representation of depth and therefore can not be coplanar with both the x-axis and y-axis.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2175

7. Claims 1-4, 8-10, 12, 13, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Allen et al. (2002/0097239), hereinafter Allen, in view of Gilligan et al. (US 5,374,942), hereinafter Gilligan.

8. As per claims 1 and 8, Allen teaches the following:

an input for receiving the image data set, (pg. 2, paragraph [0014]), i.e. the storage system 12 will include a plurality of storage locations which may be divided into a program storage 16 for storing programs for execution and a data storage 16 for storing data. From this teaching of Allen it is clear that in order for the memory to contain such data, the system must possess an input device to place the data in memory;

a memory for storing the image data set, (pg. 2, paragraph [0014]), i.e. the storage system 12 will include a plurality of storage locations which may be divided into a program storage 16 for storing programs for execution and a data storage 16 for storing data;

an interface for receiving instructions from a user, the interface comprising a manipulation unit, (pg. 2, paragraph [0017]), i.e. the user can, through the user interface 13, identify particular regions of the object 21 to be displayed through commands issued through the user interface 13;

a processor for, under control of a computer program, (pg. 2, paragraph [0016]), i.e. the debugger program 20 enables the processor 11 to display selected regions of the object 21 to the user on display 14;

determining the subset of images, by selecting images which for the at least one attribute of the set have values in the respective subrange and which also have the value for the additional attribute, (pg. 3, paragraph [0023]), i.e. the processor 11 enables the display 14 to display in video screen 30 the numerical values of the portion of the object 21 selected as indicated by the sliders 32 and 33;

generating a view of the subset of images, (pg. 3, paragraph [0023]), i.e. the processor 11 enables the display 14 to display in video screen 30 the numerical values of the portion of the object 21 selected as indicated by the sliders 32 and 33;

an output for providing pixel values of the view for rendering on a display (34), (pg. 3, paragraph [0023]), i.e. the processor 11 enables the display 14 to display in video screen 30 the numerical values of the portion of the object 21 selected as indicated by the sliders 32 and 33. The examiner would like to further make note of paragraph [0028] on pages 3 and 4 which discusses pixel values.

However, Allen does not explicitly teach of a method of scrolling in three dimensions without the use of a slider. Gilligan teaches the following:

enabling a user to select a respective subrange of the range of values for at least one of the at least one attribute and the additional attribute by scrolling in a direction substantially parallel to a horizontal x-axis without use of a slider or a vertical y-axis of a display via the manipulation unit without use of a slider, (column 1, lines 13-25), i.e. the features of the disclosed mouse are achieved by a structural improvement over a conventional mouse, consisting in including a spring loaded supplementary control signal that can be varied in magnitude and sign to control the scrolling rate and heading

Art Unit: 2175

respectively. The structural improvement is combined with an operational method for setting the scrolling axis to a plurality of Options (i.e., the “x”, y” or “z” axis), at the same time the cursor is moved;

enabling a user to select a value for the additional attribute by scrolling in a direction substantially parallel to an imaginary z-axis positioned on a diagonal between and in a common plane with the x-axis and the y-axis via the manipulation unit without use of a slider, (column 1, lines 13-25), i.e. the features of the disclosed mouse are achieved by a structural improvement over a conventional mouse, consisting in including a spring loaded supplementary control signal that can be varied in magnitude and sign to control the scrolling rate and heading respectively. The structural improvement is combined with an operational method for setting the scrolling axis to a plurality of Options (i.e., the “x”, y” or “z” axis), at the same time the cursor is moved;

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Allen's three dimensional visualization system with the three dimensional scrolling system of Gilligan. One of ordinary skill in the art would have been motivated to have made such modifications because both Allen and Gilligan are analogous art in the field of scrolling in three dimensions. Furthermore, Allen teaches in page 1, paragraph [0014], that a user input device may include “a pointing device such as a mouse” and Gilligan's system is directed to such a mouse.

9. Regarding claim 2, modified Allen teaches the system of claim 1 as described above. Allen further teaches the following:

the manipulation unit comprises a pointer device and the imaginary z-axis is being realized in a line extending between the x-axis and the y-axis, (pg. 1, paragraph [0014]), i.e. a user interface 13 for receiving input from a user via, for example, a keyboard and a pointing device such as a mouse.

Regarding applicant's limitation of the imaginary z-axis, this may be seen in Fig. 4A where axis 3 is extending in a z direction in between axes 1 and 2.

10. Regarding claim 3, modified Allen teaches the system of claim 1 as described above. Allen further teaches the following:

a mouse pointer is provided for providing visual feedback during selection of the subranges or the value of the additional attribute, (pg. 1, paragraph [0014]), i.e. a user interface 13 for receiving input from a user via, for example, a keyboard and a pointing device such as a mouse.

11. Regarding claim 4, modified Allen teaches the system of claim 1 as described above. Allen further teaches the following:

an indicator is provided for indicating along which of the three axes scrolling is possible, (pg. 2, paragraph [0020]), i.e. the large square slider 32, in conjunction with the numbers "2" and "3" in boxes situated to the left of the slider 32 and the slider 33 with the number "1" in the box situated to the left of slider 33, indicates that the object 21 whose data is to be used in the display is an object comprising an array whose elements are organized in three dimensions, that is, an object, such as an array in

which each element of data is identified by a coordinate value along three axes.

12. Regarding claim 9, Allen teaches the following:

a computer program stored on a computer readable medium operative to cause a processor to perform the method of claim 8, (pg. 2, paragraph [0016]), i.e. the debugger program 20 enables the processor 11 to display selected regions of the object 21 to the user on display 14.

13. Regarding claims 10 and 13, modified Allen teaches the system of claims 1 and 8 as described above. Allen further teaches the following:

the image data set is related to medical applications. Allen anticipated their system to be utilized in medical applications as may be seen in their showings of Figs. 3B and 3C.

14. Regarding claims 12 and 15, modified Allen teaches the system of claims 1 and 8 as described above. Allen further teaches the following:

the processor is arranged for, under control of the computer program, generating a view of an indication indicating potential directions for scrolling, (pg. 2, paragraph [0020]), i.e. the large square slider 32, in conjunction with the numbers "2" and "3" in boxes situated to the left of the slider 32 and the slider 33 with the number "1" in the box situated to the left of slider 33, indicates that the object 21 whose data is to be used in the display is an object comprising an array whose elements are organized in three

Art Unit: 2175

dimensions, that is, an object, such as an array in which each element of data is identified by a coordinate value along three axes.

15. Regarding claim 16, modified Allen teaches the system of claim 8 as described above. Allen further teaches the following:

imaginary z-axis is defined rotated relative to the x-axis and the y-axis (see axes of Fig. 4A),

the x-, y-, and z-axes being depicted in a plane of the display and the scrolling includes movement parallel to a corresponding one of the depicted axes, (pg. 2, paragraph [0020], i.e. the large square slider 32, in conjunction with the numbers "2" and "3" in boxes situated to the left of the slider 32, and the slider 33 with the number "1" in the box situated to the left of slider 33 indicates that the object 21 whose data is to be used in the display is an object comprising an array whose elements are organized in three dimensions, that is, an object, such as an array in which each element of data is identified by a coordinate value along three axes.

As may be seen in Allen's Fig. 4A, axis "1" is the y-axis, axis "2" is the x-axis, and axis 3 is the z-axis.

16. Regarding claim 17, modified Allen teaches the system of claim 8 as described above. Gilligan further teaches the following:

scrolling along the x-axis includes moving a mouse left-right along an x-scrolling direction, (column 8, lines 21-23), i.e. in Fig. 6a, an approximately horizontal motion is issued to the cursor to set the scrolling axis status variable to “x”,

scrolling along the y-axis includes moving the mouse away-closer along a y-scrolling direction, (column 8, lines 28-30), i.e. in Fig. 6b, an approximately vertical motion is issued to the cursor to set the scrolling axis status variable to “y”.

However, Gilligan does not explicitly teach a method of “*scrolling along the z-axis includes moving the mouse diagonally relative to the x- and y- scrolling directions*”. It would have been obvious to one of ordinary skill in the art to have modified the mouse movement scrolling method of Gilligan to scroll in a z direction in response to a diagonal mouse movement. One of ordinary skill in the art would have been motivated to have made such modifications because, Gilligan teaches in column 8, lines 1-5, that a user may scroll along the z-axis through moving the mouse in a circle. It is simply a design choice as to the actual pattern used to represent each axis, whether that is a circle, diagonal line, or any other pattern representable through mouse movements. One of ordinary skill in the art (e.g. a computer programmer designing a mouse movement scrolling program) could have chosen any pattern possible in representing each of the possible scrolling directions.

17. As per claim 18, Allen teaches the following:

displaying a selected subset of images in a display plane, (pg. 3, paragraph [0023]), i.e. the processor 11 enables the display 14 to display in video screen 30 the

Art Unit: 2175

numerical values of the portion of the object 21 selected as indicated by the sliders 32 and 33;

However, Allen does not explicitly teach of a method of scrolling in three dimensions through movements of an input device. Gilligan teaches the following:

moving an input device along a first direction in a first range of directions to scroll the displayed subset of the images along a first dimension of the at least three dimensions, (column 8, lines 21-23), i.e. in Fig. 6a, an approximately horizontal motion is issued to the cursor to set the scrolling axis status variable to "x";

moving the input device along a second direction in a second range of directions to scroll the displayed subset of the images along a second dimension of the at least three dimensions, the second range of directions being orthogonal to the first range of directions, (column 8, lines 28-30), i.e. in Fig. 6b, an approximately vertical motion is issued to the cursor to set the scrolling axis status variable to "y";

moving the input device along a third direction in a third range of directions to scroll the displayed subset of the images along a third dimension of the at least three dimensions, the third range of directions being disposed diagonally relative to the first and second ranges of directions, (column 8, lines 1-3), i.e. there are three patterns defined (i.e., a horizontal line, a vertical line and a circle), each of them assigned to a different scrolling axis (i.e., "x", "y" and "z" axis).

While Gilligan does not explicitly teach a method of moving in a third direction that is diagonal to the first and second directions it would have been obvious to one of ordinary skill in the art to have modified the mouse movement scrolling method of

Art Unit: 2175

Gilligan to scroll in a z direction in response to a diagonal mouse movement. One of ordinary skill in the art would have been motivated to have made such modifications because, Gilligan teaches in column 8, lines 1-5, that a user may scroll along the z-axis through moving the mouse in a circle. It is simply a design choice as to the actual pattern used to represent each axis, whether that is a circle, diagonal line, or any other pattern representable through mouse movements. One of ordinary skill in the art (e.g. a computer programmer designing a mouse movement scrolling program) could have chosen any pattern possible in representing each of the possible scrolling directions.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Allen's three dimensional visualization system with the three dimensional scrolling system of Gilligan. One of ordinary skill in the art would have been motivated to have made such modifications because both Allen and Gilligan are analogous art in the field of scrolling in three dimensions. Furthermore, Allen teaches in page 1, paragraph [0014], that a user input device may include "a pointing device such as a mouse" and Gilligan's system is directed to such a mouse.

18. Regarding claim 19, modified Allen teaches the system of claim 18 as described above. Allen further teaches the following:

the first, second, and third ranges of dimensions are coplanar and non-overlapping and the first, second, and third dimensions are orthogonal to each other (see Allen Fig. 4A).

Art Unit: 2175

19. Regarding claim 20, modified Allen teaches the system of claim 18 as described above. Allen further teaches the following:

the first, second, and third directions are coplanar (see Allen Fig. 4A).

20. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified Allen as applied to claim 1 above in view of Dobbelaar (US 6,538,672).

21. Regarding claim 5, modified Allen teaches the system of claim 1 as described above. However, Allen does not explicitly teach a method where the attributes represented by each of the three axes may be configured. Dobbelaar teaches the following:

a configuration dialog is provided for configuring which attributes are represented by each of the three axes, (column 7, lines 50-53), i.e. the user may be allowed to assign another program attribute to the axis 21, e.g. using on-screen display menus, which is a well known way in the art for changing system parameters.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the graphical representation method of Allen with the axis attribute setting method of Dobbelaar. One of ordinary skill would have been motivated to have made such modifications because both Allen and Dobbelaar are analogous art in the field of arranging data according to multiple axes on a display. Furthermore, as Allen describes on pg. 3, paragraph [0022], that an object element may have any number of dimensions, each associated with an axis. It would have been

Art Unit: 2175

obvious to one of ordinary skill to present the user with a means to select which dimensions to present. As Dobbelaar teaches in column 7, lines 52-53, using on-screen display menus was a well known skill in the art for changing system parameters.

22. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified Allen as applied to claim 1 above in view of Gargi (US 6,915,489).

23. Regarding claim 6, modified Allen teaches the system of claim 1 as described above. However, Allen does not explicitly teach a method where an attribute is periodically increased or decreased. Gargi teaches the following:

the processor is arranged for, under control of the computer program, changing the subset by periodically increasing or decreasing the value of an attribute of the set or the value of the additional attribute, (column 5, lines 25-27), i.e. by positioning the cursor 62 in alignment with the incrementing icon 68 for a set period of time, a second stack will be presented to the user; and

changing the view according to the changed subset, (column 5, lines 25-27), i.e. by positioning the cursor 62 in alignment with the incrementing icon 68 for a set period of time, a second stack will be presented to the user.

It would have been obvious to one of ordinary skill in the art would have modified the data navigation method of Allen with the periodic transition method of Gargi. One of ordinary skill in the art would have been motivated to have made such modifications because Allen and Gargi are analogous art in the field of visualizing and arranging data

Art Unit: 2175

in multiple dimensions. While Gargi's method is chiefly focused to that of image browsing, Allen shows that their method may also be directed towards images in their showings of Figs. 3b-3e. Gargi may be interpreted as a two dimensional array in that each "stack" of images presented to the user has a specific order of images. Therefore, the image data is organized in stack number and position within that stack. This is very similar to Allen's method as shown in Fig. 4A where elements are organized in a plane number and position in that plane.

24. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified Allen as applied to claim 1 above in view of Takabayashi et al. (US 2003/0158476), hereinafter Takabayashi.

25. Regarding claim 7, modified Allen teaches the system of claim 1 as described above. However, Allen does not explicitly teach a method where the images are periodically changed with respect to a further attribute. Takabayashi teaches the following:

the processor is arranged for, under control of the computer program, periodically increasing or decreasing a value of a further attribute of each image, said value not being selectable by scrolling substantially parallel to one of the three axes, (pg. 4, paragraph [0050]), i.e. Fig. 6 shows the flow of monitor scanning and imaging scanning according to an embodiment of the invention. Once the contrast agent has

been injected, monitor scanning starts. During monitor scanning, the monitor images are updated successively at a display rate of one frame per second; and

changing the view according to the changed value, (pg. 4, paragraph [0050]), i.e.

Fig. 6 shows the flow of monitor scanning and imaging scanning according to an embodiment of the invention. Once the contrast agent has been injected, monitor scanning starts. During monitor scanning, the monitor images are updated successively at a display rate of one frame per second.

The examiner interprets Takabayashi's teaching of updating an image based on time to encompass applicant's claim in that, upon the modification of Allen in view of Takabayashi, time would be a fourth dimension and thus not be selectable by scrolling the other three axes.

It would have been obvious to one of ordinary skill in the art to have modified the three dimensional display of Allen with the time dependent display of Takabayashi. One of ordinary skill in the art would have been motivated to have made such modifications because both Allen and Takabayashi are analogous art in the field of presenting images in a three dimensional environment (see Takabayashi Fig. 4). Furthermore, both arts show similar methods of placing elements in sets of planes as may be seen in Allen's showing of Fig. 4A and Takabayashi's showing of separate slices of a MIP image as shown in Figs. 4b and 4c.

Art Unit: 2175

26. Claims 11 and 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified Allen as applied to claims 1 and 8 above in view of Sezaki et al. (US 6,078,313), hereinafter Sezaki.

27. Regarding claims 11 and 14, modified Allen teaches the system of claims 1 and 8 as described above. However, Allen does not explicitly teach a method where the scroll speed is increased if the scrolling is maintained. Sezaki teaches the following:

the processor is arranged for, under control of the computer program, increasing the selected subrange at a faster rate than initially if the scrolling is maintained, (column 10, lines 35-40), i.e. the second period may be set longer than the first period, or the second period need not be a fixed period. For example, when the second period is set to gradually shorten, the scroll speed can be gradually increased with an increase in the elapse of click-on time.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have further modified the three dimensional scroll method of Allen with the gradual scroll speed increase of Sezaki. One of ordinary skill would have been motivated to have made such further modifications because all of Allen, Gilligan, and Sezaki are analogous art in the field of scrolling data.

Response to Arguments

28. Applicant's arguments filed 3/24/2009 have been fully considered but they are not persuasive. Applicant argues on pages 7-9 of their amendment that, with regard to

Art Unit: 2175

claims 1 and 8, that neither Allen nor Gilligan teach a method of moving the mouse on a diagonal between the x- and y-axes would cause scrolling along a third (z) axis.

The examiner respectfully disagrees.

Firstly, claims 1 and 8 do not recite the limitation of moving a mouse in a diagonal direction to cause scrolling along the z-axis. Claims 1 and 8 recite the limitation of “*enabling a user to select a value for the additional attribute by scrolling in a direction substantially parallel to an imaginary z-axis positioned on a diagonal between and in a common plane with the x-axis and the y-axis via the manipulation unit **without use of a slider***”. As may be seen in this claim, the language is directed to the direction in which a value is scrolled being on a diagonal, and in no way describes the movement of a mouse. The only limitation on the method of the scrolling is that the scrolling be performed is that it is performed “via the manipulation unit” and “without the use of a slider”. As Gilligan teaches in column 8, lines 1-3, “there are three patterns defined (i.e., a horizontal line, a vertical line and a circle), each of them assigned to a different scrolling axis (i.e., “x”, “y” and “z” axis)”. Thus Gilligan encompasses scrolling in a direction substantially parallel to an imaginary z-axis without the use of a slider.

Secondly, as described with regard to claims 17 and 18 above, while Gilligan does not explicitly teach a method of scrolling along the z-axis by moving the mouse in a diagonal direction, it would have been obvious to one of ordinary skill in the art to have modified the mouse movement scrolling method of Gilligan to scroll in a z direction in response to a diagonal mouse movement. One of ordinary skill in the art would have been motivated to have made such modifications because, Gilligan teaches in column

Art Unit: 2175

8, lines 1-5, that a user may scroll along the z-axis through moving the mouse in a circle. It is simply a design choice as to the actual pattern used to represent each axis, whether that is a circle, diagonal line, or any other pattern representable through mouse movements. One of ordinary skill in the art (e.g. a computer programmer designing a mouse movement scrolling program) could have chosen any pattern possible in representing each of the possible scrolling directions.

Conclusion

29. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

30. Any inquiry concerning this communication or earlier communications from the examiner should be directed to GREGORY A. DISTEFANO whose telephone number is

Art Unit: 2175

(571)270-1644. The examiner can normally be reached on Monday through Friday, 9 a.m. - 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Bashore can be reached on 571-272-4088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/GREGORY A DISTEFANO/
Examiner, Art Unit 2175
6/4/2009

/William L. Bashore/
Supervisory Patent Examiner, Art Unit 2175